TECHNICAL SPECIFICATION

OF

4WD, RHD & HARD TOP JEEP TYPE AMBULANCE

S. No.	Criteria	Required Specification	Offered
5. 110.		anger de	Specification
1.	General	wy if, hight finne bitte mousing and a set of the	Make:
1.	Guiltin	type ambulance suitable for driving in Nepal. Gross	Model:
		vehicle weight of the vehicle shall not less than 2400	GWV:
		Kgs and shall have seating capacity for at least	seating capacity:
		driver, co-passenger and patient.	Drive:
2.	Engine	Diesel Engine, developing maximum rated power	Make:
	Lugino	output not less than 60 BHP & maximum torque	Model:
		not less than 110 NM at governed RPM, Engine	Power:
		Displacement between 2400-2600 CC, Engine	Torque:
		fully equipped with accessories for efficient full	Cylinder:
		load operation of the vehicle at operating conditions.	
3.	Wheel Base	Not more than 2800mm	
4.	Overall	Not more than 4500mm	
4. /	Length	Not more than 4500mm	
5.	Emission	The Emission standard of the vehicle should comply	BS /Euro:
5.	Standard	with the latest "Vehicle Mass Emission Standard"	
	Standard	of Nepal which is to be certified by Department of	
		Transport Management Nepal.	
	Caugaa	To include water temperature, fuel, oil pressure,	
6.	Gauges	transmission gauge etc. as necessary for efficient	
		operation and maintenance.	
7	Clutch	Single Dry Plate	
7.	Transmission	Manual shift at 5 forward and one reverse, floor	4
8.	Transmission	mounted engaged through control at driver seat.	
0	Ground	Minimum 180 mm	
9.	Clearance		
10		Leaf Springs/ coil springs/ torsion bar/ shock	
10.	Suspension	absorbers at front and rear.	
11	Trunce	Standard Size	
11.	Tyres Steering	Power Steering	-
12.		Front Ventilated Disc type, rear disc/ drum type,	
13.	Brakes	hydraulic operated on all wheels, and parking	
	4 - 4	brake dual circuit preferred.	
		Drake dual circuit preferred.	
14.	Cab	2 side doors and 1 back door, all metallic cab with insulated roof, laminated glass windscreen, front	
	c.		
		washer and wipers, glass windows on doors,	
		through ventilation, comfortable and adjustable	
		seats for driver and co-passenger. Sun visor, rear	
10		view mirror and two side view mirror.	
15.	Chassis &	Heavy duty metal frame	
	Frame		

Kemai Batradur Shahi Kemai Batradur Shahi Kechanical Engineer

4



TECHNICAL SPECIFICATION

OF

4WD, RHD & HARD TOP JEEP TYPE AMBULANCE

16		A. Head light, tail and rear light, reversing	
	Accessories	light and turn signals.	
		B. Cabin Lights. C. Speedometer/ Odometer.	
		D. One Spare wheel with tyre and tube.	
		E. Suitable jack and handle.	
2		F. Seat belt for driver and co-driver.	
		G. Flashing Light on top (As per Nepal	
1.1	And the second second second	- Standard)	
		H. Anti-Skid floor	
		Equipped with all accessories offered in the	•
		standard model but not limited to the above items.	
17.		A. Stethoscope	
	Equipment	B. B. P. Set	
		C. Torch Light	
		D. Tongue Depressure	
		E. IV Drips	
		F. Cannula and Syringes	
		G. ECG Monitor and Oxygen Monitor	
		H. Intubation Set	
		I. Various Intubation Tubes and Laryngeal	
		Tubes	
		J. Nebulizer Set	4
		K. Ambu Bag	
		L. Manual Suction Set	
		M. Cervical Collars	
		N. CPR Board	
		O. Oxygen Supply	
		P. Automated External Defibrillator (AED)	
		Q. Delivery Sets	
		R. Dressing Sets	
	4.9	S. Splints	
	7	T. Catheterizations Sets	
100		U. Haemostatic Sets	
		C. Haemostatic Sets	
18.	Others	A. Washing Equipment	
		B. Foldable Trolly Cum Stretcher	
		C. Saline Stand	
		D. Siren	

Gummer Bahadur Shertineer



TECHNICAL SPECIFICATION

OF

4WD, RHD & HARD TOP JEEP TYPE AMBULANCE

19.	Instructions	All signs and instructions in the vehicle shall be in English.	
20.	Manuals	One Copy of the Operator's and Owner's instructions and maintenance manual in English shall be supplied with the vehicle.	
21.	Tools	A set of tools as required for general maintenance shall be supplied.	
22.	Colour	2/3 Outer body portion yellow & remaining left/right green & red in Battenberg or chess board design	5
23.	Proven Performance	 The Ambulance offered shall be a current model under standard production by the manufacturer. The bidder shall provide the manufacturer's data of the performance of the unit to include the performance curve of the engine 	
24.	Warranty	Manufacturer shall provide a minimum of One year or 20,000 kms which ever earlier after acceptance.	•••
25.	Delivery	The 1 Unit Ambulance shall be delivered to: Office of the Rural Municipal Executive, Mudkechula Rural Municipality Karnali Province, Dolpa	7

Note: The major items are indicated by bold and highlighted letters / alphabets / figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.

Bidder's Signature

Date.....

PREPARED BY:

U

Name: Kamal Bahadur Shahi Designation: Mechanical Engineer Office: Ministry of physical infrastructure and urban development, Karnali Province Date: 2079/08/14